MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8

Certificate:

(1) The works done by contractor Satisfactorily
(2) The contractor has removed all debris from work spot
(3) There is no departmental issues.





M.A.R. 57 (Rule 116)
Measurement Book
No. C/09

Serial No.
Name of work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	2nd and Final Bill Amount → 681392=00						
	IT → 96278=00						
	VAT → 192557=00						
	PSD → 240696=00						
	LR → 52600=00						
	LWC → 48139=00						
	CBF → 4816=00						
	635084=00						

Audited and admitted for Rs. 681392=00
Passed for Cheque for Rs. 41[illegible]827=00
( )
( )
by Rs. 635084=00
Accounts Assistant
Executive Engineer



M.A.R. 57 (Rule 116)
Measurement Book
No. C/09

Serial No.
Name of work From To
Name of Contractor of nature of Agency
Date of commencement of work

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	0.460cum, with Super Plasticisers @ 3 lts conforming to IS 9103-1999 readymixed-2008, machine mixed, concrete laid in layers not exceeding 15cms thick, vibrated for all works in foundation for footings, pedestals, retaining walls, staircase, retaining walls, return walls, walls (any thickness) including attached, pilasters, columns, piers, abutments, pillars, post steels, buttresses, string or facing courses, parapets, bed blocks, anchor blocks, plain window cills, fillets etc., including cost of all materials, labour, hire of machinery and all lead complete as per specifications.						



MEASUREMENT BOOK

Date	Full description, etc., of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		4	30.00		0.90	108.00	
		4	21.00		0.90	75.60	
		4	30.00		0.90	108.00	
		4	11.50		0.90	41.40	
		4	30.00		0.90	108.00	
		4	13.60		0.90	48.96	
		4	30.00		0.90	108.00	
		4	10.60		0.90	38.16	
	For coaming	1	35.00		0.60	13.00	
		1	28.00		0.60	16.80	
		1	25.00		0.60	15.00	
		1	30.00		0.60	18.00	
		1	15.00		0.60	9.00	
		1	22.00		0.60	13.20	
		1	18.00		0.60	10.80	
		1	30.00		0.60	18.00	
		1	30.00		0.60	18.00	
		1	14.00		0.60	8.40	
		1	30.00		0.60	18.00	
		1	30.00		0.60	18.00	
		1	15.00		0.60	9.00	
		1	30.00		0.60	18.00	
		1	30.00		0.60	18.00	
		1	4.50		0.60	2.70	
		1	30.00		0.60	18.00	
		1	30.00		0.60	18.00	
	Ashwattha RB.	1	3.60		0.60	2.16	
		1	30.00		0.60	18.00	
		1	21.00		0.60	12.60	
		1	30.00		0.60	18.00	
		1	11.50		0.60	6.90	
		1	30.00		0.60	18.00	
		1	12.60		0.60	7.56	
		1	30.00		0.60	18.00	
		1	10.60		0.60	6.36	

Total Qty = 2619.32 Sqm



...57 (Rule 116)

...surement Book

Serial No. ...

Name of work ... From RR-464 26-10-2016 To ...

Name of Contractor of nature of Agency ...

Date of commencement of work ... Mahaveer Coreland ...

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(4)	Providing Cast in situ reinforcement for RCC work ...						
	4K 'A' Lock US	2x530	270-00 210	2226.00	0.62	1380.12	
		2x12	55.00	1320.00	0.62	818.40	
		2x12	28.00	672.00	0.62	416.64	
	Anchor wall	2x355	2.10	1491.00	0.62	924.42	
		2x12	45.00	1080.00	0.62	669.60	
	4K 'B' Lock US	2x520	2.10	2184.00	0.62	1354.08	
		2x12	75.00	1800.00	0.62	1116.00	
		2x450	2.20	1980.00	0.62	1227.60	
		2x12	65.00	1560.00	0.62	967.20	
	2K 'B' Lock US	26x70	2.20	4004.00	0.62	1009.36	
		2x12	51.00	1224.00	0.62	758.88	
		1x820	2.20	3526.00	0.62	450.12	
		1x12	43.00	516.00	0.62	319.92	
		1x330	2.20	726.00	0.62	450.12	
		1x12	40.00	480.00	0.62	297.60	

Sub total 4 = 12,160.064 MT



MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
	Ditto	1	30.00	0.70	0.15	3.15	
	ashwath valley left side	1	30.00	0.70	0.15	3.15	
	at 'D' work Rt	1	3.60	0.70	0.15	0.38	
	Ditto	1	30.00	0.90	0.15	4.05	
	at 'E' work Rt	1	31.00	0.90	0.15	4.19	
	at 'E' work	1	30.60	0.70	0.15	3.21	
		1	4.50	0.70	0.15	0.47	
	Drain side walls	1	30.00	0.70	0.15	3.15	
	ashwath valley right side	1	1.60	0.70	0.15	0.17	
		1	30.00	0.90	0.15	4.05	
		1	10.60	0.90	0.15	1.43	
		1	8.00	0.90	0.15	1.08	
		2	25.00	0.15			
		2	28.00	0.15	0.60	4.50	
		1	25.00	0.15	0.60	2.25	
		1	28.00	0.15	0.60	2.52	
		1	30.00	0.15	0.60	2.70	
		2	15.00	0.65	0.65	6.32	
		2	22.00	0.15	0.65	2.15	
		2	18.00	0.15	0.60	1.62	
		2	30.00	0.15	0.60	2.70	
		2	14.00	0.15	0.60	1.26	
		2	30.00	0.15	0.60	2.70	
		2	20.00	0.15	0.60	1.80	
		2	15.00	0.15	0.60	1.35	
		2	30.00	0.15	0.60	2.70	
		2	30.00	0.15	0.60	2.70	
		2	4.50	0.15	0.60	0.81	
		2	35.00	0.15	0.60	3.15	
		2	30.00	0.15	0.60	2.70	
			5.00	0.15	0.60	0.45	



M.A.R. 57 (Rule 116)
Measurement Book
No. C/09 169262

Serial No.....
Name of work.....From.....To.....
Name of Contractor of nature of Agency.....
Date of commencement of work.....

Date	Full description, etc, of work	Dimensions: Number	Length	Breadth	Depth	Contents	Reference to last Measurement
1	2	3	4	5	6	7	8
(7)	Disposal of debris to the final place of disposal with all lead and lift and as directed by the Engineer in charge of the work, lead 10 km.					464.26 cum	
	As per item No. (1)					= ₹ 37,944/-	
	@ Rate of 81.73/cum.						
						Sub Total = ₹ 44,62,515	
						KRIDL 8% = ₹ 3,57,001	
						SC charges 1% = ₹ 44,625	
						Total Bill Amount = ₹ 48,64,141	

Ckd 4 PC
29/9/2016

19-9-16

M.A.R. 57 (Rule 116)
Measurement Book

No. C/09 169273

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Brought forward from 169271						
⑤	Providing and removing, centering, shuttering, propping etc. with Kattha etc.	4	25.00		0.90	80.00	
		4	28.00		0.90	100.80	
		4	25.00		0.90	90.00	
		4	28.00		0.80	89.60	
		4	30.00		0.80	96.00	
		4	15.00		0.80	48.00	
		4	22.00		0.80	70.40	
		4	18.00		0.90	64.80	
		4	30.00		0.90	108.00	
		4	30.00		0.90	108.00	
		4	14.00		0.90	50.40	
		4	30.00		0.90	108.00	
		4	30.00		0.80	96.00	
		4	15.00		0.80	48.00	
		4	30.00		0.90	108.00	
		4	30.00		0.90	108.00	
		4	4.50		0.90	14.40	
		4	30.00		0.90	108.00	
		4	30.00		0.90	108.00	
		4	3.60		0.90	12.96	

M.A.R. 57 (Rule 116)
Measurement Book

No. C/09 169271

Serial No.....

Name of work.....From.....To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
⑥	Providing and laying in P.C.C. 1:4:8 mix	1	25.00	0.90	0.15	3.38	
		1	28.00	0.90	0.15	3.78	
		1	25.00	0.90	0.15	3.38	
		1	28.00	0.90	0.15	3.78	
		1	30.00	0.90	0.15	4.05	
		1	15.00	0.90	0.15	2.03	2.03
		1	22.00	0.90	0.15	2.97	
		1	18.00	0.90	0.15	2.43	
		1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
		1	14.00	0.90	0.15	1.89	
		1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
		1	15.00	0.90	0.15	2.03	
		1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
		1	4.50	0.90	0.15	0.61	



M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

Serial No.

Name of work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Aswathakatte LHS 4th A cross LHS	2	30.00	0.15	0.60	5.40	
		2	21.00	0.15	0.60	3.78	
		2	30.00	0.15	0.60	5.40	
		2	9.50	0.15	0.60	2.07	
		2	30.00	0.15	0.60	5.40	
		2	13.60	0.15	0.60	2.45	
		2	30.00	0.15	0.60	5.40	
		2	10.60	0.15	0.60	1.91	
		2	8.05	0.15	0.60	1.449	
	RCC covering Aswathakatte Right side 4th A cross LHS	1	25.00	0.90	0.15	3.38	
		1	28.00	0.90	0.15	3.78	
		1	25.00	0.90	0.15	3.38	
		1	30.00	0.90	0.15	4.05	
		1	15.00	0.90	0.15	2.03	
		1	23.00	0.90	0.15	3.11	
		1	18.00	0.90	0.15	2.43	
		1	10.00	0.90	0.15	1.35	
		1	10.00	0.90	0.15	1.35	



2-Measurements

Contractor

Serial No. and...

M.A.R. 57 (Rule 116) BR-666 26-10-2016

Measurement Book

No. C/09 169270

Name of work ...ius near Aswathakatte & surrounding area roads ...E cross all sides Shettyhalli Sub Division, in Ward NO. 18

Name of Contractor of nature of Agency Technical Manager (west), KRIDL

Date of commencement of work 2-9-16

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Job code:- 013-17-000003.			Est. Cost:- 49.00 lakhs			
	A.A No.:- AC/DZ/AS/36/2016-17, dt. 30.08.2016.						
	T.S No:- CE/DZ/TS/45/2016-17, dt 01.09.2016.						
	W.O. No:- BBMP/EE/DD/W/O/58/2016-17, dt. 02.09.2016.						
1)	Earthwork excavation by manual means in ordinary soil						
	4th A cross LHS	1	25.00	0.90	0.80	18.00	
		1	28.00	0.90	0.80	20.16	
	RHS	1	25.00	0.90	0.80	18.00	
		1	28.00	0.90	0.80	20.16	
	Cross road	1	30.00	0.90	0.80	21.60	
		1	15.00	0.90	0.80	10.90	

Act Final Bill

EMB-464

M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

Sat 10/16 169259

Serial No. and ... Providing & rcc drains near Athwallykatte surrounding area roads ... Name of work ... From ... To ...

Name of Contractor of nature of Agency ... Technical Manager (Horti), KRIDL

Date of commencement of work ...

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Job code :- 013-17-000008				Est. cost :- 49 00 Lakhs		
	A.A No :- AC/DZ/KS/36/2016-17, Dt 30-08-2016						
	T.S No :- CE/DZ/TS/KS/2016-17, Dt 01.09.2016						
	W.O No :- RBMP/EE/DD/KS/58/2016-17 Dt 06/09/2016						
	Date of recording :- 19-9-16						
(1)	Earthwork excavation by manual means in Athwally soil involving an average horizontal throw upto 5m & an average lift upto 1.5m. Excavated surface levelled and sides neatly dressed. The disposed earth to be levelled neatly after leaving 4 clods complete as per specifications						

M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

169261

Serial No. ...

Name of work ... From ... To ...

Name of Contractor of nature of Agency ...

Date of commencement of work ...

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(5)	Providing and removing centering, shuttering, struting propping etc., and removal of form work for vertical surface such as walls of any thickness, including attached pilasters, buttresses, plinth and string courses cost of all materials, labour complete as per specification.						
	As per premeasurement Qty recorded in This MB page No. 169293. vide item No. (5)					2619.32 Sqm	
	@ Rate of 306.72/Sqm					= 8,03,298/-	
(6)	Providing & laying reinforced cement precast slabs of mix CC 1:1½:3 using 20mm & down size graded granite metal using 4 HYSD 10mm dia steel @ 100mm c/c						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement Book
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
	As per premeasurement Qty recorded in this MB page no. 169279 to 169300 vide item No. ③.					278.17 Cum	
	@ Rate ₹ 6198.12/Cum.					₹ 17,24,[illegible]	
④	providing T.M.T. steel reinforcement for R.C.C work including straightening, cutting, bending, hooking, placing in position, lapping and/or welding wherever required, tying with binding wire and anchoring to the adjoining members wherever necessary complete as per design (laps, hooks and wastage shall not be measured and paid) cost of materials, labour, HSR of machinery complete as per specifications.						
	As per premeasurements Qty recorded in this MB page no. 169283 vide item No. ④.					166.98 Qtl.	
	@ Rate ₹ 6980.58/Qtl.					₹ 11,65,649/-	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement Book
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
	RLS						
	Ashwathnalla left side	1	38.00	0.70	0.15	4.05	
	4th 'B' cross RL	1	38.00	0.80	0.15	4.60	
		1	3.60	0.80	0.15	0.43	
	RLS	1	38.00	0.90	0.15	4.05	
	4th 'B' cross RLs	1	38.00	0.90	0.15	4.05	
		1	38.00	0.90	0.15	5.13	
	4th 'C' cross.	1	4.50	0.90	0.15	0.54	
		1	38.00	0.90	0.15	5.05	
		1	13.60	0.90	0.15	1.84	
		1	38.00	0.80	0.15	4.05	
		1	10.60	0.90	0.15	1.43	
		1	8.00	0.90	0.15	0.96	
	Drain side walls Ashwath nalla right side.	2	25.00	0.15	0.60	4.50	
		2	28.00	0.15	0.60	5.04	
		1	25.00	0.15	0.60	2.25	
		1	14.00	0.15	0.60	1.26	
		1	30.00	0.15	0.65	2.93	
		2	15.00	0.15	0.65	2.93	
		2	22.00	0.15	0.60	3.96	
		2	18.00	0.15	0.60	3.24	
		2	30.00	0.15	0.60	5.40	
		2	14.00	0.15	0.60	2.52	
		2	30.00	0.15	0.60	5.40	
		2	20.00	0.15	0.60	3.60	
		2	15.00	0.15	0.60	2.70	
		2	30.00	0.15	0.60	5.40	
		2	30.00	0.15	0.60	5.40	
		2	4.50	0.15	0.60	0.81	
		2	30.00	0.15	0.60	5.40	
		2	30.00	0.15	0.60	5.40	
		2	3.60	0.15	0.60	0.65	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
	E.E. (D.D.)	1	14.00	0.90	0.15	1.89	
		1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
		1	15.00	0.90	0.15	2.03	
		1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
		1	4.50	0.90	0.15	0.61	
		1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
		1	3.60	0.90	0.15	0.49	
		1	30.00	0.90	0.15	4.05	
		1	21.00	0.90	0.15	2.84	
		1	30.00	0.90	0.15	4.05	
		1	11.50	0.90	0.15	1.55	
		1	30.00	0.90	0.15	4.05	
		1	13.60	0.90	0.15	1.84	
		1	30.00	0.75	0.15	3.38	
		1	10.60	0.75	0.15	1.19	
		1	8.00	0.80	0.15	0.96	
					Total =	281.81 cum	
	Deduct for opening	45	0.60	0.90	0.15	(-) 3.65	
						= 278.17 cum	

17-9-71

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
	As per premeasurement Qty recorded in this MB Page No. 169270 vide item No (1)					464.26 cum	
	@ rate of 83.16/cum					= ₹ 38,608/-	
(2)	Providing and laying in position plain cement concrete of mix 1:4:8 with OPC cement @ 180 kg with 40 mm of down size graded granite metal coarse aggregates @ 0.85 cum and fine aggregates @ 0.57 cum machine mixed, concrete laid in layers not exceeding 15cms. thick well compacted in foundation, including cost of all materials, labour, T&P of machinery, curing complete as per specification.						
	As per premeasurement Qty recorded in this MB Page No. 169271 vide item No (2)					87.05 cum	UU896-F
	@ rate of 5070.60/cum					= ₹ 4,41,384/-	
	Providing and laying in position reinforced cement concrete of design mix M20 with OPC cement @ 320 kg/m³ with 20mm and down size graded granite metal coarse aggregates @ 0.69 cum and fine aggregates @						



MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Covering of Rec slabs in 'A' where Cable road	2×500	0.90	900.00	0.62	558.00	
		2×355	0.90	639.00	0.62	396.18	
		2×5	45.00	450.00	0.62	279.00	
		2×530	0.90	954.00	0.62	591.48	
		2×5	25.00	250.00	0.62	155.00	
		2×450	0.90	810.00	0.62	502.20	
	in 'B' work II	2×5	65	65.00	0.62	40.30	
		2×370	0.90	666.00	0.62	412.92	
		2×5	51	510.00	0.62	316.20	
		1×300	0.90	297.00	0.62	184.14	
		1×5	43	215.00	0.62	133.30	
		1×280	0.90	297.00	0.62	184.14	
		1×185	40	200.00	0.62	124.00	
				Sub Total	=	4528.40 Rft	
				Total Qty	=	16.698.40 Rft	
					=	166.98 Rft	



Bill Final Bill

Bucc. 464

M.A.R. 57 (Rule 116) SBI 10/16 1691253

Measurement Book No. C/09

Serial No. and ... Construction of Rec drains near Ashwathkatte surrounding area roads all over Sheltykatte sub Division in ward No. 14

Name of work ... From ... To ...

Name of Contractor of nature of Agency ... Technical Manager (Civil), KRIDL

Date of commencement of work ...

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Job code :- 013-17-000008.					Est. cost :- 49.00 Lakhs	
	A.A No :- AC/DZ/AS/36/2016-17, Dt 30.08.2016						
	T.S No :- CE/DZ/TS/45/2016-17, Dt 01.09.2016						
	W.O No :- BBMP/EE/DD/W05/58/2016-17 Dt 06/09/2016.						
	Date of recording :- 19-9-16						
D	Earthwork excavation by manual means in ordinary soil involving an average horizontal throw upto 5m & an average lift upto 1.5 m. Excavated surface levelled and sides neatly dressed, the disposed earth to be levelled neatly after removing of clods complete as per specifications						



M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

Serial No.....

Name of work..... From..... To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Aswathanatte Lft: 4th A' cross Rds	2					
		2					
		2					
		2					
		2					
		2					
		2					
		2					
		2					
	RCC covering Aswathanatte Right Side 4th A' cross Rd Lft	1	25.00	0.90	0.15		
		1					
		1					
		1					
		1					
		1					
		1					
		1					
		1					
		1					



M.A.R. 57 (Rule 116)

Measurement Book

No. C/09

169299

Serial No.....

Name of work..... From BR-464 28-10-16 To.....

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Recatitulation continued from 169293						
(3)	Providing and laying position reinforced cement concrete M20						
	Main bed Aswathanatte E/S	1	25.00	0.90	0.15	3.00	
	4th 'A' cross Rd	1	28.00	0.80	0.15	3.36	
	" " E/S	1	25.00	0.80	0.15	3.00	
		1	28.00	0.80	0.15	3.36	
	cross Road	1	30.00	0.80	0.15	3.60	
	E/S	1	15.00	0.80	0.15	1.80	
		1	22.00	0.80	0.15	2.64	
	4th 'B' cross Rd	1	18.00	0.80	0.15	2.16	
	" "	1	30.00	0.90	0.15	4.05	
	" "	1	30.00	0.90	0.15	4.05	
	" " E/S	1	14.00	0.90	0.15	1.89	
		1	30.00	0.80	0.15	3.60	
		1	30.00	0.90	0.15	4.05	
		1	15.00	0.80	0.15	1.80	
		1	30.00	0.90	0.15	4.05	
		1	30.00	0.80	0.15	3.60	
		1	1.50	0.80	0.15	0.54	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement Book
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
	4th 'c' cross Right side	1	30.00	0.90	0.15	4.05	
		1	30.00	0.90	0.15	4.05	
		1	3.60	0.90	0.15	0.49	
	ashwath Kalle LS.	1	30.00	0.90	0.15	4.05	
		1	21.00	0.90	0.15	2.84	
		1	30.00	0.90	0.15	4.05	
		1	11.50	0.90	0.15	1.55	
		1	30.00	0.90	0.15	4.05	
		1	13.60	0.90	0.15	1.84	
		1	30.00	0.90	0.15	4.05	
		1	10.60	0.90	0.15	1.43	
						87.05 cum	
	Measurement continued in page No 169283						

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to Measurement Book
1	2	Number 3	Length 4	Breadth 5	Depth 6	7	8
	bothways & complete as per specifications.						
	~~As per premeasurement Obs~~						
	Ashwath Kalle Right side.						
	4th 'c' cross LS	15	0.60	0.90		8.10	
	RS	10	0.60	0.90		5.40	
	cross road LS	12	0.60	0.90		6.48	
	RS	12	0.60	0.90		6.48	
	cross LS	18	0.60	0.90		9.72	
	RS	18	0.60	0.90		9.72	
	4th 'c' cross. LS	15	0.60	0.90		8.10	
	RS	15	0.60	0.90		8.10	
	Cross Kalle Left side.						
	4th 'D' cross LS	8	0.60	0.90		4.32	
	RS	8	0.60	0.90		4.32	
	4th 'c' cross RS	10	0.60	0.90		5.40	
	LS	10	0.60	0.90		5.40	
	missed slabs.	140	0.60	0.90		75.60	
			Only Bed		153.90 Sqm	157.14 Sqm	
			@ Rate of 1600/Sqm			=₹2,51,424	

E.E. (D.D.)